

AIRCRAFT STATUS REPORT

A/C REG #	C-GHYD		Last Maintenance Complete			Compressor & Belt Hobbs			Current Date/Time/Cycles		
A/C TYPE	Westwind I								01-Nov-17 7914.4 4848		
A/C S/N	278										
Description	Interval	Cycles	Last Maintenance Carried Out			Remaining			Next Maintenance Due		
			Date	Time(Hr)	Cycles	Days	Time(Hr)	Cycles	Date	Time (Hr)	Cycles
ELT re-certification	1 Year		23-Jan-15			-648			23-Jan-16		
ELT Battery replacement	2		24-Dec-13			-769			24-Sep-15		
Davtron Clock Battery	2 Years		12-Jun-15			-142			12-Jun-17		
#1 Altimeter/ ADDU Recert.	2 Years		17-Sep-14			-410			17-Sep-16		
#2 Altimeter / ADDU Recert.	2 Years		17-Sep-14			-410			17-Sep-16		
CVR Operational Test	3000			7343.8			2429.4			10343.8	
CVR Bench Test	3000			6051.5			1137.1			9051.5	
CVR ULB clean/battery check	1 year		14-May-15			-536			14-May-16		
CVR ULB Battery Replace	6 Years		14-May-15			1216			01-Mar-21		
CVR Intelligibility/Ops test	1 Year		14-May-15			-536			14-May-16		
STBY ALT /Pitot static Recert	2 Years		17-Sep-14			-410			17-Sep-16		
Fuel Dump Calibration/functional	1200			7656.9			942.5			8856.9	
Clean/replace antiskid filters	1200			7135.2			420.8			8335.2	
Hydraulic Fuses Functional	1200	3 Years	03-Mar-15	7869.9		122	1155.5		03-Mar-18	9069.9	
Stby Horizon Jet Pack	3 months		14-May-15			-810			14-Aug-15		
Emer light power supply	3 months		14-May-15			-810			14-Aug-15		
Compass Swing	1 Year		08-Apr-14			-572			08-Apr-16		
12 Month RVSM Inspection	Yearly		17-Sep-14			-776			17-Sep-15		
Thrust Reverser Bottle Hydrostat	3 Years		03-Mar-15			122			03-Mar-18		
Thrust Reverser Bottle Life Limit	24 Years		29-Jan-03			3741			29-Jan-28		
Thrust Reverser 5000 Hour Inspection	5000			4741.7			1827.3			9741.7	
Thrust Reverser Retarter cables repl.	10000			0.0			2085.6			10000.0	
Thrust Reverser Retarter cable lube	3 Years		06-Nov-14			-143			11-Jun-17		
Stab Actuator O/H		2500	31-Dec-04	6526.9	3959			889		6459	
Stab actuator Jack screw		10000									
#1 Transponder Recertification	2 Years		17-Sep-14			-410			17-Sep-16		
#2 Transponder Recertification	2 Years		17-Sep-14			-776			17-Sep-15		
Emergency Gear Gas Storage Bottle Life	24 Years		20-Nov-08			4044			27-Nov-28		
Emergency Gear Gas Storage Bottle Hyd	3 Years		23-Jan-15			83			23-Jan-18		
Engine Fire Bottles Hydrostatic	5 Years		22-Nov-13			386			22-Nov-18		
Engine Fire Bottle Squibs replace	6 Years		20-Nov-12			384			20-Nov-18		
Cockpit fire extinguisher wt. Check	Yearly		26-Feb-15			-614			26-Feb-16		
Cabin fire extinguisher wt. Check	Yearly		26-Feb-15			-614			26-Feb-16		
Nose Gear Upper Bearing Lube per SLW	1200			7311.5			597.1			8511.5	
NLG Door Rod X Rays P/N's 3900009-23	5000	5 Years	14-Jan-12	7563.5		-291	4649.1		14-Jan-17	12563.5	
NLG Door Shaft X Ray P/N 283023-501	5000	5 Years	14-Jan-12	7563.5		-291	4649.1		14-Jan-17	12563.5	
Steering Bracket Inspection U + L	1600			6734.2			419.8			8334.2	
Steering Bracket Replacement	N/A by P/N										
Rudder Control Rod X Ray	5000	5 Years	14-Jan-12	7563.5		-291	4649.1		14-Jan-17	12563.5	
Elevator Bellcrank Tube X Ray	5000	5 Years	14-Jan-12	7563.5		-291	4649.1		14-Jan-17	12563.5	
Brake pedal Rod X Ray	5000	5 Years	14-Jan-12	7563.5		-291	4649.1		14-Jan-17	12563.5	
Brake Pedal Interconnect Rod X Ray	5000	5 Years	14-Jan-12	7563.5		-291	4649.1		14-Jan-17	12563.5	
L + R Ail Cont Rod X Ray 513020-501	5000	5 Years	14-Jan-12	7563.5		-291	4649.1		14-Jan-17	12563.5	
L + R Ail Cont Rod X Ray 513506-503	5000	5 Years	14-Jan-12	7563.5		-291	4649.1		14-Jan-17	12563.5	
L + R Ail Cont Rod X Ray 513512-3	5000	5 Years	14-Jan-12	7563.5		-291	4649.1		14-Jan-17	12563.5	
Flap Prime Motor O/H Replace	10000			6174.4			8260.0			16174.4	
Flap Flex Shaft Lube (all)	1200			7311.5			597.1			8511.5	
Recertify Life Jackets	5 Years		15-Oct-11			-392			05-Oct-16		
Oxygen											
Oxygen Cylinder replace	24 Years		22-Apr-08			5286			22-Apr-32		

AIRCRAFT STATUS REPORT											
A/C REG #	C-GHYD		Last Maintenance Complete			Compressor & Belt Hobbs		Current Date/Time/Cycles			
A/C TYPE	Westwind I							01-Nov-17 7914.4 4848			
A/C S/N	278										
Description	Interval	Cycles	Last Maintenance Carried Out			Remaining		Next Maintenance Due			
			Date	Time(Hr)	Cycles	Days	Time(Hr)	Cycles	Date	Time (Hr)	
O/H Pilot Oxygen Mask	6 Years		11-Jan-12			71		11-Jan-18			
O/H Copilot Oxygen Mask	6 Years		22-Dec-11	6.0		51		22-Dec-17			
Replace Passenger O2 Masks	6 years		26-Sep-13			694		26-Sep-19			NOTE Requirement changed to on condition
Inspect Passenger O2 Masks	1 year		17-Sep-14			-776		17-Sep-15			
O2 Bottle hydrostatic test	3 Years		04-Apr-14			-191		24-Apr-17			
O2 Bottle hydrostatic test	3000			7488.9			2574.5		10488.9		
Functional Test crew Oxygen Masks	1 Year	600 Hours	29-Jan-15	7853.1		-642	538.7	29-Jan-16	8453.1		
Powerplant											
#1 Engine											
150 Hour Inspection	150			7763.8		-0.6		7913.8			
300 Hour Inspection	300			7833.9		219.5		8133.9			
800 Hour Inspection	800			7702.5		588.1		8502.5			
1400 Hour Inspection	1400			6924.3		409.9		8324.3			
2100 Hour MPI	2100		14-Aug-06	6924.3		1109.9		9024.3			
4200 Hour CZI	4200		17-Apr-97	4812.0		1097.6		9012.0			
#1 Starter Generator Overhaul	1000			7768.3		853.9		8768.3			
#2 Engine											
150 Hour Inspection	150			7763.8		-0.6		7913.8			
300 Hour Inspection	300			7833.9		219.5		8133.9			
800 Hour Inspection	800			7702.5		588.1		8502.5			
1400 Hour Inspection	1400			6924.3		409.9		8324.3			
2100 Hour MPI	2100		14-Aug-06	6924.3		1109.9		9024.3			
4200 Hour CZI	4200		17-Apr-97	4812.0		1097.6		9012.0			
#2 Starter Generator Overhaul	1000			6975.9		61.5		7975.9			
Airframe Inspections											
150 Hour Airframe	150			7763.8		-0.6		7913.8			
A Check	200			7702.5		-11.9		7902.5			
B Check	400			7702.5		188.1		8102.5			
C Check	800			7311.5		197.1		8111.5			
A Structural Inspection	4800			4741.1		1626.7		9541.1			
B Structural Inspection	800			7125.8		11.4		7925.8			
C Structural Inspection	9600			0.0		1685.6		9600.0			
D Structural Inspection	15000			0.0		7085.6		15000.0			
First Aid Kit Inspection	1 Year		26-Feb-15			-614		26-Feb-16			
Weight and Balance	5 Years		21-Nov-12			20		21-Nov-17			
24 Month RVSM Autopilot Altitude Hold	2 years		17-Sep-14			-410		17-Sep-16			
Portable Fire Ext. Visual Insp (CKPT)	1 Month		22-Jul-15			-802		22-Aug-15			
Portable Fire Ext. Visual Insp (CAB)	1 Month	s/nX560541	22-Jul-15			-802		22-Aug-15			
Portable Fire Ext. Valve O/H (CKPT)	72 Months		02-Jul-10			#####		2-Aug-16			
Portable Fire Ext. Valve O/H (CAB)	72 Months		22-Jul-13			19-09-01		22-Jul-19			
Portable Fire Ext. Hydrostat (CKPT)	144 Months		01-Apr-04			#####		1-Apr-16			
Portable Fire Ext. Hydrostat (CAB)	144 Months		01-Aug-07			29-09-01		1-Aug-19			
INBD L/H Flap act. O/H P/N 193544-3	60 Months	3200 Hour	22-Jul-13	7702.5		263	2988.1	22-Jul-18	10902.5		
INBD R/H Flap act. O/H P/N 193544-3	60 Months	3200 Hour	22-Jul-13	7702.5		263	2988.1	22-Jul-18	10902.5		
OUTBD L/H Flap act. O/H P/N 193544-501	10000 Hours						2085.6		10000.0		
OUTBD R/H Flap act. O/H P/N 193544-502	10000 Hours						2085.6		10000.0		
Flap flex shaft replace L/H Outbd	10000 Hours						2085.6		10000.0		
Flap flex shaft replace R/H Outbd	10000 Hours						2085.6		10000.0		
Flap flex shaft replace L/H Inbd	10000 Hours						2085.6		10000.0		
Flap flex shaft replace R/H Inbd	10000 Hours						2085.6		10000.0		

AIRCRAFT STATUS REPORT

A/C REG #		C-GHYD		Last Maintenance Complete		Compressor & Belt Hobbs		Current Date/Time/Cycles	
A/C TYPE		Westwind I						01-Nov-17 7914.4 4848	
A/C S/N		278							
Description	Interval	Cycles	Last Maintenance Carried Out			Remaining		Next Maintenance Due	
			Date	Time(Hr)	Cycles	Days	Time(Hr)	Cycles	Date
Rudder Pedal shaft X-ray	60 Months	5000 Hour	14-Jan-12	7563.5		-291	4126.6	14-Jan-17	12041.0
Left Main wheel bolts P/N GY186-36	every 3rd tire chg	400 cyc			NEXT TIRE CHANGE!		NEXT TIRE CHANGE!		
Right Main wheel bolts P/N GY186-36	every 3rd tire chg	400 cyc			NEXT TIRE CHANGE!		NEXT TIRE CHANGE!		
	1200 Hours		12-Sep-11	7527.8			813.4		8727.8
NLG outer strut body U&L bearings	24 Month	1200 Hour	26-Sep-13	7713.1	#####		813.4	26-Sep-15	8727.8
Vert and Hor Stab attach fittings	4800			7502.3			4387.9		12302.3
Vert and Hor Stab attach fittings	60 Months		11-Jun-11			-508		11-Jun-16	
Airworthiness Directives									
	AD Number		SB Reference	Compliance					
Rudder Inspection	55-02-12-04R		1124-55-150	PCW 02/06/2004					
Aileron Tubes and Guide Rollers Inspection	95-28R1		1124-27-129	PCW 08/28/2006 @ 6924.3		DUE AT 8513.0 Hours			
			Recurring 800 hrs						
Accessibility to Life Preservers	92-02		FAR 25.1411(F)	PCW 08/1992					
Aileron Control Rod Assemblies	91-02		1124-27-100R2	PCW 08/1990					
Structural Inspection Program	91-01			PCW 01/31/1997 @ 4741					
Speed Limitation - Windshield Heat Inop.	87-01			N/A At This Time					
Horizontal Stabilizer Aft Spar Fitting	85-001R2		1124-55-020R2	PCW 26/09/2012 @ 7641.2		DUE AT 7941.2			
			Recurring 300 hrs						
Insp. Aileron for Missing Rivets	57-00-02-06			PCW 07/19/2000 @ 5351.2					
Engine Inlet Cowl + Aft Nacelle Attach Bolts	54-01-05-02		1124-54A-138	PCW 07/27/2001					
Slow-opening oxygen shut-off valve	35-02-10-12		1121-35-024	PCW 04/20/2003					
Windshield wiper arm inspection	30-00-07-10		1124-30A-142	PCW 07/19/2000					
Hydraulic Low Pressure Warning Circuit	29-98-09-01		1124-29A-140	PCW 10/1999					
Hydraulic Fuses - Test and Replacement	29-97-03-10		1124-29-132	PCW 03/03/2015 @ 7869.9		DUE AT 03/03/2018			
			Recurring 3 yrs or 1200 hours						
Replace Horizontal Stab. Trim Actuator	27-97-09-02		1124-27-136	PCW 10/24/1997					
Insp. Horizontal Stab. Trim Actuator	27-00-09-01		1124-27A-147	PCW 11/29/2000					
Life Rafts	25-97-08-14			N/A Not Installed					
Emerg. Operating Proc. 1124,1124A	21-02-07-01		AFM TR NO.03	PCW 08/30/2002					
Intercom System Audio Load Resistor	1011		WW-24-23	PCW 04/1981					
Galley - Hot Liquid Container	1009			PCW 10/1980					
Wing Spar	1007		WW-24-17	N/A by S/N					
Waste receptacles	74-08-09R1			PCW Aug 8 2007@ 7170		DUE AT 8170 Hours			
Service Bulletins	1124-27-153		1124-27-153R1	Complied with 04/12/2007					
	1124-27-156		1124-27-156	Aileron control rods		C/W @7311.5			