

From: [Saved by Blink](#)

To:

Date: 12/18/2023 9:00:37 PM

Subject: AirCam Specifications | Manufactured and Distributed by Lockwood Aircraft

Attachments: [Attach 1](#)

[HOME](#)

[SPECS](#)

[PRICING](#)



FRONT
PAGE

[ABOUT](#)

[COMMUNITY](#)

[MEDIA](#)

[EVENTS](#)

AirCam Specifications

The AirCam kit has been inspected by the FAA and meets the 51% or Major Portion Rule for Experimental-Amateur Built Aircraft.

The AirCam is constructed primarily of aircraft-grade aluminum components, and features conventional fabric-covered flying surfaces and a high-performance Dacron

AIRCRAFT

Fuel Capacity	28 gallons
Range	340 miles at 70mph
Endurance	6 hours

DIMENSIONS

Wingspan	36 ft.
----------	--------

Height	conventional gear amphib. floats	8 ft. 6 in. 13 ft. 6 in.
Length		27 ft.

POWERPLANT

Rotax 912ULS		
	4cyl. horizontally opposed, carbureted	
	100 HP (x2)	
	Warp Drive three-blade carbon fiber composite propeller (x2)	
Rotax 912iS		
	4cyl. horizontally opposed, electronically fuel injected	
	100 HP (x2)	
	Warp Drive three-blade carbon fiber composite propeller (x2)	
Rotax 914UL		
	4cyl. horizontally opposed, carbureted turbocharged	
	115 HP (x2)	
	Airmaster three-blade constant speed propeller (x2)	

PERFORMANCE

Maximum Speed	110 mph
Cruise Speed (smooth air) (normal)	50 to 100 mph 100 mph 50 to 85 mph
Stall Speed	39 mph
Rate of Climb solo, 50% fuel single engine	1500 fpm 2000 fpm 300 fpm

WEIGHT

Conventional Gear (Generation 3)	
Empty Weight	1100 lbs.
Gross Weight	1900 lbs.
Useful Load	800 lbs.
Conventional Gear (Generation 2)	
Empty Weight	1080 lbs.
Gross Weight	1680 lbs.
Useful Load	600 lbs.
Amphibious Floats	
Empty Weight	1400 lbs.

Gross Weight	2000 lbs.
Useful Load	600 lbs.

AirCam Events

July 24 - 30 2023 Oshkosh AirVenture

Two Locations; Inside Building B space 2009 and outside UL 907 & 908

AirCam Newsletter

Email

Subscribe

Friends & Resources

- Lockwood Aviation Supply
- Lockwood Aviation Repair
- Rotax Owner Support
- Experimental Aircraft Association (EAA)
- Aircraft Owners and Pilots Association (AOPA)
- Seaplane Pilots Association (SPA)

#SebringStrong 

Contact Us

AirCam is located at:

1 Lockwood Lane

Sebring, FL 33870

Get in touch:

- 863.655.4242 Voice
- 863.655.6225 Fax
- info@aircam.com

Air-Cam