

DATE	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE
------	---------------------------	------------------	-----------------------------

2-27-26
12464 3242.20

Description of Inspections, Tests, Repairs and Alterations
 Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries)

2/27/2026 N5926W Tach: 3747.20
 Annual Inspection completed this date. Checked and lubed all controls and pulleys. Installed new BP-1010 ELT battery, checked all operation. **ELT battery due 2/2028.** Installed new RG-35AXC12V battery. Compression test #1 75 #2 76 #3 76 #4 75. Installed new BA-3 air filter. Serviced oil and filter wit Aeroshell W100 Plus and CH7-48110-1 filter. Installed new fuel hose at tank. Sealed fuuel tanks and installed new vent hoses. Installed new flap handle bolt. Installed new tires and tubes on LH main and nose wheel. Installed new vacuum filters p/nRAB3-5-1 andRAD9-18-1. Serviced all wheel bearings. Checked all Ads. This aircraft , propeller, and engine were inspected in accordance with an Annual Inspection and found to be in an airworthy condition.

David Hallmark
 David Hallmark
 Massey Aircraft Service
 A&P 30689501A

DATE	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME SER
------	---------------------------	------------------	----------------------

19

DATE
19____

RECORDING
TACH
TIME

TODAY'S
FLIGHT

TOTAL
TIME IN
SERVICE

Description of Inspections, Tests, Repairs and Alterations
Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)

10-24-2023

10/24/2023

N5926W

Tach: 3744.73

Met 3744.23

Installed seal kit in nose strut. Serviced nose strut. Repaired
Nose strut speed fairing. Installed Nose strut cylinder p/n 13069-000.
Serviced strut for a second time. Assembled nose strut and control rods.

X



David Hallmark

A&P 3068950

Massey Aircraft Service

DATE
19 ____

RECORDING
TACH
TIME

TODAYS
FLIGHT

TOTAL
TIME IN
SERVICE

Description of Inspections, Tests, Repairs and Alterations
 Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)

10/24/2023

N5916W

Tach: 3744.73

Installed seal kit in nose strut. Serviced nose strut. Repaired
 Nose strut speed fairing. Installed Nose strut cylinder pin 13069-000.
 Serviced strut for a second time. Assembled nose strut and control rods.

X

David Hallmark

A&P 3068950

Massey Aircraft Service

DATE
19 ____

RECORDING
TACH
TIME

TODAYS
FLIGHT

11-2024

3744.81

DATE	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE
19			

Description of Inspections, Tests, Repairs and Alterations
 Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)

wo: 1002 Airframe (14 CFR 43.9 ~ RT(S) - page 1 of 1



BASIC Aero LLC · 1685 Sunnyside Ct, Hngr 12 · Bakersfield, CA 93308 · (661) 243-8028

N5926W **PIPER, PA-28-150, S/N: 28-3311** **January 19, 2021**
 hobbs: 458.4 tach: 3727.29

1. Inspected and found corroded ground wire to cabin dome light connection to airframe. Cleaned and reconnected ground wire. Ops check good.
2. Removed Inop ship battery and installed new concord battery P/N:GR-35AXC. Ops check good. In-stalled (1) Concord 35 - Sealed Battery.
3. Removed primer plunger and replaced O-rings with new O-rings P/N:MS29513-12. Reinstalled Ops check good. Installed (2) MS29513-12 - PACKING-PREFORMED ALTERNATE SPARE: MS29513-012.
4. Removed and replaced throttle cable assemble with new assemble P/N:MC12693-04. Set throttle cushion and insured full travel of carburetor control arm. Ops check good. Installed (1) MC12693-04 - Control, Throttle.
5. Replaced E.L.T battery with new battery P/N:PB1010. Ops check good. New due date Nov 2023. Installed (1) PB1010 - ELT Battery - Due Date 2/2023.
6. Found left main strut and nose strut Schrader valve assembly gaskets leaking. Replaced gaskets with new and serviced struts. Performed work IAW Piper PA-28 150 AMM 7-5 7-14 Ops check good. Installed (1) PSS-KT-18 - Seal Kit, Piper Strut.

With respect to the work performed, I certify this Airframe is approved for return to service.

Ron Knudson A&P 3661631 *Ron Knudson*

DATE	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
19 _____				

WO: 1001

Airframe (14 CFR 43.11; 9 ~ INSPI) - page 1 of 1



BASIC Aero LLC · 1685 Sunnyside Ct, Hngr 12 · Bakersfield, CA 93308 · (661) 243-8028

N5926W
hobbs: 458.4

PIPER, PA-28-150, S/N: 28-3311
tach: 3727.29

January 19, 2021

1. C/W 14 CFR 91.207 (d) ELT 12 Month Inspection, Replaced Battery. New due date 2/2023.
2. Inspected Airframe with reference to checklist including scope and detail of 14 CFR 43 Appx D.
3. C/W AD 2013-02-13 ~ Control Cable assembly failures ~ per. (g) (2) ~ 1/2028 or tt 5727.
4. C/W AD 18-07-03 ~ Fuel Tank Selector Cover ~ Fuel selector placards are properly installed, no further action is required.
5. Constructed New Record Keeping and Logbook Binder Installed
6. Produced in depth research of all AD Notes since new. Airframe, Engine, Prop and Accessories.

I certify that this Aircraft has been inspected in accordance with Annual Inspection and was determined to be in airworthy condition.

Merrill Blumer A&P/IA 1773082

MBlumer

DATE	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
19 ____				

wo: WO_78 Airframe - page 1 of 1



BASIC Aero LLC · 13061 Rosedale HWY Ste. G Box 389 · Bakersfield, CA 93314 · (661) 332-9003

N5926W PIPER, PA-28-150, S/N: 28-3311 September 27, 2018

Tach: 3727.29 Hobbs: 458.4

1. Troubleshoot boost pump electrical system. Found intermittent failure across Switch. Removed and replaced Switch. Ops check OK. Installed (1) AN3021-2 - SPST Switch.
2. Removed nose fairings. Hoisted and secured aircraft. Serviced Nose Strut with MIL-H-5606A and Nitrogen as required. Re-installed nose fairings.

With respect to the work performed, I certify this airframe is approved for return to service.

Francis Tarcelo A&P 3398881

DATE
19RECORDING
TACH
TIMETODAYS
FLIGHTTOTAL
TIME IN
SERVICE**Description of Inspections, Tests, Repairs and Alterations**
Entries must be endorsed with Name, Rating and Certificate No. of the Technician or Repair Facility. (See back pages for other specifications)

12/21/17

3704.9

ANNUAL

INSPECTION COMPLETED THIS DATE. SERVICES DONE

CHECKED OILS, TIGHTS & CONTROLS FOR OPERATION

BUILT PER FAA 91.207 (d)

CHECKED PANELS & INSPECTED AIRCRAFT & COMPONENTS FOR

STRUCTURAL CONDITIONS. LUBED ALL WHEEL BEARINGS

INSTALLED NEW 83-51 VACUUM FILTER

COMPLETED WITH NO 72-05-06 MAIN GEAR TOGGLE LINKS PER

FAA 91.207 (c) (1) AIRCRAFT 4204.9 (FAA FORM)

CERTIFY THAT THIS AIRCRAFT HAS BEEN

INSPECTED IN ACCORDANCE WITH ANNUAL

INSPECTION AND WAS DETERMINED TO BE IN

AIRWORTHY CONDITION.

Dated 12/21/17 Total Time 3704.9 hrs

Signature: *Francis Tarcelo*

FAA FORM 8570-1 REVISION NO. 5.72027924

DATE

RECORDING
TACH
TIMETODAYS
FLIGHT

18

NO. WO. 79

BAS

N5926W

Tach: 3727.29

1. Troubleshoot bo
2. Replaced Switch
- Removed nose
- Nitrogen as rec

With respect to the w

Francis Tarcelo A&P

DATE	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries)
------	---------------------	---------------	-----------------------	---

8/22/14 TACH 3697.0

ANNUAL INSPECTION COMPLETED THIS DATE. SERVICED
TIREES, BATTERY & BRACKES. CHECKED LIGHTS & CONTROLS
FOR OPERATION & BELT PER FAR 91.207 (d)
OPENED PANELS & INSPECTED AIRFRAME & COMPONENTS
FOR SECURITY & CONDITION. LIBED ALL WHEEL BEARINGS.
INSTALLED 4 EA NEW 452-334 BEARINGS TO L&R
STEERING PUSHRODS & 2 EA 453-158 STEERING
ROD BOOT.

I CERTIFY THAT THIS AIRFRAME HAS BEEN
INSPECTED IN ACCORDANCE WITH ANNUAL
INSPECTION AND WAS DETERMINED TO BE IN
AIRCRAFT CONDITION.

Dated 8/22/14 Total Time 3697.0 hrs.

INSPECTED BY: [Signature] No. 572027924

DATE 19__	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
				I CERTIFY THAT THIS <u>ALTIMETER</u> HAS BEEN INSPECTED IN ACCORDANCE WITH <u>ANNUAL</u> INSPECTION AND WAS DETERMINED TO BE IN ADDITIONAL CONDITION. Dated <u>8/12/13</u> Total Time <u>3691.8</u> hrs. <i>[Signature]</i> <u>ALTIMETER</u> No. <u>572027924</u>

Frank X Ruiz Avionics Inc.
970 W Chandler St Fresno Ca * (559)233-0700 FAA Approved Repair Station DF3R447L
10/11/13 Tach 3296.8 N5926W

I certify that this Transponder has been tested and found to comply with FAR Part 91-413.
I certify that this Encoder has been tested, and found to comply with F.A.R. Part 91-217
I certify the Altimeter system meets the FAR Part 91-411.
The **ALTIMETER** / system were function tested to 20,000 feet.
Pertinent details are on file under Invoice No. 3180

Frank X Ruiz
By Frank X Ruiz

DATE 19__	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Entries must be endorsed with Name, Rating and Cert. See back pages for Technician or Repair Facility. (See back pages for other pages)
10/18/12	TACH 3691.5			INSTALLED NEW 6-35 BATTERY.
27/12/13	TACH 3691.8			<i>A. P. Williams</i> APP 57202791
	ANNUAL INSPECTION COMPLETED THIS DATE. SERVICED FUEL			
	BATTERY & BREAKERS. CHECKED LIGHTS & CONTROLS FOR OPERATION			
	ELT PWR PAIR 91.207 (d). OPENED PANELS & INSPECTED			
	AIRCRAFT & COMPONENTS FOR SECURITY & CONDITION. LUBED			
	ALL WHEELS & BRAKES.			
	INSTALLED POLYIMIDE NEW PAINTS:			
	ALL ELT & P-1010 ELT BATTERY, EXPIRATION 10/15			
	15A 12A 3-5-1 & 2A 051517 VACCUM FILTER.			
	COMPLETED WITH DO 2013-02-13 STAIRS FOR COCKPIT VIEW			
	PAIR PAIR (9) (1) REINSPECT AT 5691.8 HOURS 8/2020			
	(6A 2, 000 HRS 0127 Y 6A 14.5)			

DATE 19__	RECORDING TACH TIME	TODAYS FLIGHT